

Introduction of VTS-INS Product Specification



VTS47 WG2. Technology

Presenter : Seongsang YU(KR)

 SMART

WIDER CONNECTION SAFER NAVIGATION

Agenda

- **Background**
- **VTS-INS product specification(PS) development direction**
- **VTS-INS PS development**
 - VTS-INS PS development process
 - VTS-INS PS user need(reference)
 - Roadmap of VTS-INS PS development
 - VTS-INS PS Scenario development
 - VTS-INS PS Scenario
 - VTS-INS PS detail scenario
 - VTS-INS PS data model
- **Result and Future work**

- **Requirement of VTS-INS product specification (PS)**
 - IMO's proposed MS(maritime service) and product specification
 - IMO proposed 16 MS for maritime safety and suggested that the product specification based on S-100 standard is required for harmonized data exchange
 - VTS (INS, NAS, TOS) is defined as MS 1,2,3 services
 - VTS committee is developing the MS 1,2,3 Guideline and identifying data of MS 1,2,3.
 - VTS committee is defining items such as definition, scope, objective in MS Guideline
 - VTS Committee is identifying data that needs to be exchanged in the VTS
 - However, the development of the product specification for the VTS has not proceeded.

- **Proposal for development of product specification**
 - Development team decided to participate in the development work of INS product specification to promote the development of IMO MS 1
 - Development team proposed the development of VTS-INS product specification based on scenario at the VTS 46

▪ VTS-INS product specification development direction

- Development team think [The important thing about product specification is 5W1H]
- We tried to the answer **5W1H** using VTS rules, the output documents of the VTS committee, discussions with VTS Operator, etc.
- Using the 5W1H concept, the development team have drafted a VTS-INS product specification



What

What data is exchanged in VTS?

Who

Who is data sender? Who is data receiver?

When

When do vessels send this data?

Where

Where do vessels send this data?

Why

Why this data is sent?

How

How do vessel and VTS exchange this data?

VTS-INS PS development process

1. VTS user needs

VTS46-13.3.9 - Annex A - VTS Digital Services

Type	CATEGORY	FEATURE	ATTRIBUTE
vessel information		identification	Vessel identity (ship's name, MMSI, call sign, IMO, owner...)
		static information	e.g. vessel measurements (length, width, draft weight, maximum), number of passengers... type of vessel (container, bulk...)
		dynamic information	e.g. speed, direction, number of passengers, number of crew, flag, agent, captain, draught.
Voyage information		certification information	
		identification	Voyage ID, type...
		sailing plan	e.g. departure, arrival, route, waypoints, timing
		status	e.g. planned, confirmed, estimated, active.
		position	e.g. current, last waypoint, next waypoint
specific voyage information			e.g. trip remarks, towage information, pilot information, convoy information, vessel activity (fishing, dredging...), piracy...
		warnings	e.g. ISPS

3.1.2 Vessels Entering VTS Area
When a vessel enters the VTS Area procedures for the following actions should be considered:


- Procedures for establishing communications and verifying vessel identity and position;
- Requirements for initial information exchange, which may include:
 - Confirm reporting requirements;
 - Provide relevant traffic information;
 - Provide navigational / fairway information;
- Establish compliance with IMO requirements (charts and publications, passage plan, mechanical defects, personnel shortfalls).
- Procedures for updating information with allied services.

IALA V-127

Time <	Vessel Action<	VTS Action<	Information category<
01:00<	Provides pre-arrival information<	Replying with information on weather<	Environmental<
02:00<	Enters VTS area, provides sailing route<	Traffic information to vessel<	Traffic and Route Information<
02:30<	Passes reporting point line<	Provides information on current, wave height, etc.<	Hydrographical Information<
03:00<	Requires port information<	Provides quay details<	Traffic and Route Information<
03:30<	Passes second reporting point<	Provides operational information on AtoN<	Navigation Hazards<
04:00<	Vessel along side<	Gives information on wind speeds, visibility<	MS Guideline

Researching about product specification requirement(=need)
- VTS46 result, MS Guideline, VTS Guideline, VTS operator's comment, SMCPC

2. Define data exchange scenario




Define data exchange scenario based on requirements

3. Define Features & Attributes

Attribute	Identifier	Registry Code/Definition	Definition	Priority	Type	Value
Source MMSI of vessel	shipMMSI	IMO Number	IMO is a numbering scheme that can uniquely identify any maritime mobile unit in a global area. The Maritime Mobile Service Identity (MMSI) Code is formed of a series of numbers which are transmitted over the radio path in order to uniquely identify ship stations, ship earth stations, coast stations, coast earth stations and ground calls. These identifiers are formed in such a way that readability or port thereof can be used by telephone and radio subscribers connected to the general communications network (principally by call area automatically published from Appendix 3 of International Telecommunications Union Radio Regulations).	0,1	URL	
IMD Code	IMDCode	IMD Code		0,1	text	
Message Identifier	messageIdentifier	Message Identifier	A unique identifier identifying one message from another.	1,1	text	
Message Number	messageNumber	Message Number	The purpose of a message used to facilitate communication between ships.	1,1	enum	1. Instruction 2. Advice 3. Warning 4. Information 5. Question 6. Answer 7. Request 8. Response

Analysis another standard(S-101, 124, 127, 211, 412, 421)
New feature for VTS determined

4. Product specification



Finally, development VTS-INS Product Specification

VTS INS product specification & user need

Service Scenario

IALA V-127


- Reporting procedure for ships at VTS center
- Identifies scenario that VTS center provides information to vessels

MS Guideline(VTS 46)

- Action of vessels and VTS center in VTS area

VTS flag rule

- Reporting procedure for ships at VTS center



Data

IALA V-127

- Identify information included in the ship's report
- Identify information VTS center provide to ship

VTS46-13.3.9

- Identify data category, feature and attribute requirement by VTS

MS Guideline(VTS 46) Annex 1

- Identify data type requirement by VTS

When, Where, Why and Who

What and How

Other Reference

IMO SMCP

- Information exchange procedure & data in voice communication

VTS Operator's comment

- VTS Operator share the actions actually performed in the VTS Center

Online VTS Reporting System

- Information on Pre-Arrival Report when entering VTS Center

Other Product Specification

- Reference data model defined by other product specification


Roadmap of VTS-INS PS development

Date	Work	Detailed work	Revision	
			Scenario	Data
'19.01~'02	Requirement analysis	Analysis VTS Standard, Guideline Data model development status of IALA VTS Committee	-	
'19.03	Development draft VTS scenario	Development draft scenario based on IALA V-127, VTS46 result	- Definition 8 Situation* & Exchanged Data**	
'19.05	VTS Scenario revision based on VTS manual	Add reporting and data items based on the manual	- Add reporting on passing point - Add before movement report(10m)	- Add vessel's communication info. - Add VTS Area's communication info. - Add bunker info.(oil type, quantity, etc.)
'19.06	Reflect the VTS Operator comment	Meeting with VTS operator, check up scenario and exchanged data	- Expand content of Pre-arrival - Reduce information of Entering report - Delete Mandatory reporting	- Add Anchorage/Berth data in pre-arrival - Add Crew list in ship information - Add Navigational Equipment condition data
'19.06	Analysis SMCP and scenario revision	Compare the Scenario & Data of INS and SMCP Definition additional scenario	- Add accident report & assistance - SAR(search & rescue), medical, NUC(Not Under Control)	- Definition accident report data - (SAR) accident location, time, abandon ship, life boat, rescue equipment - (Medical) Medical assistance type... - (NUC) defect equipment type(engine, steering, shaft)
'19.06	Scenario Revision	Scenario revision	Definition main scenario - Pre-arrival - Entering & movement*** - Vessel accident report - Providing VTS area information	- Four situations can be represented through the same model. - Move, Berth, Anchorage, Departure
'19.07	Analysis S-211 and scenario revision	Analysis S-211 Add additional data in INS model	- S-211 request-response Scenario and data model reference - In Pre-arrival, entering & movement, Add request - response items	
'19.07	Development data model	Fixed scenario & data Start development data model	-	

VTS-INS PS Scenario development

Development of VTS-INS PS draft scenarios

- Defines actions that occur in VTS Area based on V-127, MS Guideline
 - Requests and reports of vessels within the VTS area
 - Information about risks and warnings provided by the VTS Center
- The development team found answers about *When, Where, Why and Who*



In the scenario, ship and VTS location are represented by virtual picture.

Idx	Scenario	Action	Direction
1	Pre Arrival Information	Provide ships information	Vessel → Center
2	Vessel Entering VTS Area	Procedures for establishing communications and verifying vessel identity and position Requirements for initial information exchange	Vessel → Center Center → Vessel
3	Vessels within VTS Area	Provision of relevant information to participating vessels at regular intervals or on demand or deemed necessary by the VTSO. Special provisions for vessels carrying hazardous or polluting cargo	Center → Vessel Vessel → Center
3-1	Mandatory Participation	Compliance with pilotage directions and any special requirements for a pilot vessel being off station Procedures for non-compliance by a vessel with the requirements and procedures laid down for the VTS area	Center → Vessel Vessel → Center
3-2	Voluntary Participation	Consideration of requirement to track/monitor and communicate with vessels not required to participate in the VTS	
4	Vessels in Anchor	Anchorage assignment Reporting requirement for vessels prior to leaving the anchorage	bi-direction Vessel → Center
5	Vessels in Berth	Reporting requirements for vessels on arrival at berth	Vessel → Center
		Security requirements and/or level	Center → Vessel
6	Vessels Departing the VTS Area	Reporting requirement for a vessels prior to leaving the berth	Vessel → Center
		Reporting requirement for vessels prior to departing the area	Vessel → Center
7	Transition between Adjacent VTS area	Handover requirements with adjacent or next VTS	Center → Center
7	Transition between Adjacent VTS area	Transfer of vessel information such as identification, cargo, destination and ETA destination	Center → Center
8	Advise Environmental Conditions	Restriction or prohibition on movement mandatory tug service, pilot service	Center → Vessel

VTS-INS draft Scenario

	Internal VTS Procedure	External VTS Procedure
R o u t i n e	- Gathering and Recording of Information	- Pre Arrival Information
	- Operational Staff	- Vessels Entering VTS Area
	- Equipment Operation, Maintenance, Calibration and Updating	- Vessels within VTS Area
	- Interaction with Allied Services	- Mandatory Participation
	- Public Relations	- Voluntary Participation
E m e r g e n c y	- Security	- Vessels at Anchor
	- Training	- Vessels at Berth
	- Watch Handover	- Vessels Departing the VTS Area
	- Vessel Handover	- Transition between Adjacent VTS Area
	- Maintenance of Maritime Publications	- Adverse Environmental Conditions
		- Collision, Capsize, Sinking, Grounding, Fire On Vessel, Man Overboard
	- System Failure	- Pollution
	- Internal emergencies(ex. fire and flood)	- Places of Refuge
	- Forced evacuation of VTS center	- Medical Emergency
	- Personnel medical emergencies	- Vessel Not Under Command(NUC)
	- Security incidents	- Security Incident
		- Protest Action
		- Nature Disaster

IALA V-127 Operational Procedure

Time	Vessel Action	VTS Action	Information category
01:00	Provides pre-arrival information	Replying with information on weather	Environmental
02:00	Enters VTS area, provides sailing route	Traffic information to vessel	Traffic and Route information
02:30	Passes reporting point line	Provides information on current, wave height, etc.	Hydrographical information
03:00	Requires port information	Provides quay details	Traffic and Route information
03:30	Passes second reporting point	Provides operational information on Atolls	Navigation Hazards
04:00	Vessel along side	Gives information on wind speeds, visibility	Environmental

IALA MS Guideline

VTS-INS PS Scenario development

Mapping between draft scenarios and data

- Define the data exchanged for each action based on V-127 and VTS46-13.3.9
 - Identifies the data reported by the ship in V-127
 - Mapping between scenarios and data list (VTS46-13.3.9)
- The development team found answer about what and how (partially)*

Idx	Scenario	Action	Direction	Feature	Attribute	Reference	
1	Pre Arrival Information	Provide ships information	Vessel → Center	Route plan	departure, arrival, route, waypoints, timing	V-127 VTS46	
				ETA	time	V-127	
				Vessel Identity	IMO-no, MMSI, call sign	V-127	
					owner, voyage ID, type,	V-127 VTS46	
				Vessel Draft	draft	V-127	
				Vessel Static information	vessel measurements (length, width, dead weight(maximum) number of passengers), type of vessel (container, bulk)	V-127 VTS46	
				ISPS security level	ISPS	V-127	
				Information about any vessel defects or deficiencies:	defects, deficiencies	V-127	
Hazardous, dangerous or polluting cargo details	IMDG code, proper name	VTS46					
2	Vessel Entering VTS Area	Procedures for establishing communications and verifying vessel identity and position	Vessel → Center	Vessel Identity	IMO-no, MMSI, call sign	V-127 VTS46	
					owner, voyage ID, type,	V-127 VTS46	
				Vessel Dynamic information	speed, direction, number of passengers, number of crew, flag, agent, captain, draught	V-127 VTS46	
					Voyage ID, type	V-127 VTS46	
				Voyage information	sailing plan	departure, arrival, route, waypoints, timing	V-127 VTS46
					status	planned, confirmed, estimated, active	
					position	current, last waypoint, next waypoint	
					specific voyage information	trip remarks, towage information, pilot information, convoy information, vessel activity (fishing, dredging), piracy	
Confirm reporting requirement	reporting confirm result	V-127 VTS46					
2	Vessel Entering VTS Area	Procedures for establishing communications and verifying vessel identity and position	Center → Vessel	relevant traffic information (=traffic image)	CPA, TCPA, ship position and time stamps, large / special vessel movements, vessel meeting / passing	V-127	
				Navigational conditions	identification	consist of ID, subject, type	V-127 VTS46
					warning	construction works, (Temporary) Restricted Areas, Newly Discovered Hazards (wreck, shoals, shallow), diving operations	
					limitations	air gap (bridges, cables), UKC, anchorage limitations, speed	
					status	AtoNs, locks, fairway, ports	
				geographical information	locks, fairway, port, special areas (sensitive marine habitat)		
				Establish compliance with IMO requirements	charts and publications, passage plan, mechanical defects, personnel shortfalls	V-127 VTS46	

Detailed VTS INS PS Scenario(data exchange)

VTS46-13.3.9 - Annex A - VTS Digital Services			
Type	CATEGORY	FEATURE	ATTRIBUTE
vessel information	identification	identification	Vessel identity (ship's name, MMSI, call sign, IMO, owner, ...)
			static information
	dynamic information	e.g. speed, direction, number of passengers, number of crew, flag, agent, captain, draught, ...	
	certification information		
Voyage information	identification	Voyage ID, type, ...	
	sailing plan	e.g. departure, arrival, route, waypoints, timing ...	
	status	e.g. planned, confirmed, estimated, active, ...	
	position	e.g. current, last waypoint, next waypoint, ...	
	specific voyage information	e.g. Trip remarks, towage information, pilot information, convoy information, vessel activity (fishing, dredging, ...), piracy, ...	
	warnings	e.g. ISPS, ...	
Cargo information	hazard information	e.g. IMDG code, propername ...	
	detailed cargo information	e.g. position on board, detailed product information, ...	

VTS46-13.3.9

VTS-INS PS Scenario development

Revision of Scenario

- Verification of draft scenario.
 - Development team analyzed the draft scenarios with a Korean VTS operator
 - Development team analyzed other VTS document (rules) and systems related to VTS.
 - IMO SMCP, VTS flag rule, VTS web service(sound VTS), etc.
- Development of final version of scenario based on analysis results
 - Scenario were expanded to consist of 4 detail scenarios
 - Pre-Arrival, Entering & Movement, Report Accident and VTS Center Provide Information

Date	Work	Detailed work	Revision	
			Scenario	Data
'19.01~'02	Requirement analysis	Analysis VTS Standard, Guideline Data model development status of IALA VTS Committee	Scenario revision history	
'19.03	Development draft VTS scenario	Development draft scenario based on IALA V-127_VTS46 result	- Definition & Situation* & Exchanged Data**	
'19.05	VTS Scenario revision based on VTS manual	Add reporting and data items based on the manual	- Add reporting on passing point - Add before movement report(10m)	- Add vessel's communication info. - Add VTS Area's communication info. - Add bunker info.(oil type, quantity, etc.)
'19.06	Reflect the VTS Operator comment	Meeting with VTS operator, check up scenario and exchanged data	- Expand content of Pre-arrival - Reduce information of Entering report - Delete Mandatory reporting	- Add Anchorage/Berth data in pre-arrival - Add Crew list in ship information - Add Navigational Equipment condition data
'19.06	Analysis SMCP and scenario revision	Compare the Scenario & Data of INS and SMCP Definition additional scenario	- Add accident report & assistance - SAR(search & rescue), medical, NUC(Not Under Control)	- Definition accident report data - (SAR) accident location, time, abandon ship, life boat, rescue equipment - (Medical) Medical assistance type... - (NUC) defect equipment type(engine, steering, shaft)
'19.06	Scenario Revision	Scenario revision	Definition main scenario - Pre-arrival - Entering & movement*** - Vessel accident report - Providing VTS area information	- Four situations can be represented through the same model. - Move, Berth, Anchorage, Departure
'19.07	Analysis S-211 and scenario revision	Analysis S-211 Add additional data in INS model	- S-211 request-response Scenario and data model reference - In Pre-arrival, entering & movement, Add request - response items	
'19.07	Development data model	Fixed scenario & data Start development data model	-	

Scenario	Description
Pre-Arrival	- Process about vessel request entering VTS area & VTS center's assignment
Entering & Movement	- Process about vessel reporting the entry VTS area - Process about vessel movement within VTS area - Movement : movement, berth, anchorage, departure
Accident Report	- Process of reporting vessel's emergency situation and request assistance - Emergency situation is consist of SAR, medical assistance and NUC
VTS center provide information	- Process of providing information in the VTS area - Information : environmental & navigational information, accident in VTS area

VTS-INS PS Scenario development

■ VTS-INS PS Scenario

- Using the identified references, the development team created the scenario
- Mapping the scenarios and the data list

Scenario	Description	Action	Exchanged data
Pre-arrival report	- Before arrived VTS area, Vessel report information and request entering VTS Area • Identify, measurements, crew list, etc. - When accept entering VTS area, VTS provides information of VTS area • Environmental & Navigational Information	(Vessel) Request pre-arrival	Vessel identity, vessel measurements, crew list, sailing plan, ISPS, cargo info., bunker, ETA, communication info., mechanical defects
		(VTS) Response assignment result	Assignment result, deny comment
		(VTS) Provide VTS area info.	Environmental info., navigational info., traffic info., reporting area communication channel
Entering & movement report	- Vessels entering and moving within VTS area report to VTS - Movement report is consist of three reports • before movement(10m) movement, arrival - When Anchorage, Berth and Departure situation, vessel use this Movement report	Entering report	(Vessel) Entering report Vessel identity, speed, direction, position
		(VTS) Provide info.	Traffic info., Navigational info.
		(Vessel) Report passing point	Vessel identity, position
		(Vessel) Before movement	Vessel identity, statement(sailing, anchorage berth), arrival type(sailing, anchorage, berth), destination, ETA
		(Vessel) Movement	Vessel identity, position, ATA
Accident report	- In emergency situation, vessel report the accident and request assistance - Accident report is information for the initial assistance, detail accident informations are made in voice communication - Accident report is consist of three report • Search & rescue, Medical assistance, Not under command	SAR (Vessel) request SAR	Vessel identity, vessel measurements, crew list, cargo info., position, lifeboat, rescue equipment info.
		medical (Vessel) request medical assistance	Vessel identity, medical assistance type(radio medical advice, boat for hospital transfer...), doctor in vessel
		NUC (Vessel) report NUC	Vessel identity, NUC equipment(engine, steering gear, propeller) request tug
		(VTS) Response	Communication channel (Channels for communication with vessel)
		(VTS) Provide info.	Vessel identity, request message
Provide VTS area information	- VTS provides VTS Area information in vessel's request / emergency situation - When vessels' request, VTS provide Environmental & Navigational Information - In emergency situation, VTS broadcasting Traffic Accident, Environmental & Navigational Warning	(Vessel) Request info.	Environmental info., navigational info.,
		(VTS) Broadcasting info.	Environmental warning, navigational warning, traffic accident information, SAR information, NUC information

VTS-INS PS scenario(final ver.)

Data Category	Attribute	Description	Reference
vessel identity	vessel name, IMO-no, MMSI, classign	Identifier of vessel	V-127
static info.	measurement(length, width, dead weight...), vessel type, flag, captain	Ship's info. (not changed)	V-127, VTS 46
	speed, direction, number of passenger	Ship's info. (can changed)	V-127, VTS46
dynamic info.	Crew list	VTS operator	
	Voyage (sailing plan) timing	Vessels' route info.	
Voyage (position)	departure, arrival, route, waypoints, current, next waypoint	Position info.	V-127 VTS46
	trip remarks, towage information, pilot information, convoy information, vessel activity (fishing, dredging, ...), piracy	Purpose of sailing & detail info.	
(specific voyage information)	ISPS code	ISPS Code	V-127
cargo info.	category of cargo, IMDG code	Cargo type and detailed info.	V-127, VTS46
bunker info.	Type(FO, MDO, MGO, Other), Quantity(MT)	Remained bunker oil info.	sound VTS
pre-arrival req & resp	pre-arrival request & response	Request & response entering VTS area	S-211
lifeboat rescue equipment	number of lifeboat / lifecraft	when request SAR, required information	SMCP & VTS operator
NUC info.	EPiRB, SART, DSC	detect equipment info. & request tug	SMCP & VTS operator
medical assistance	NUC equipment(engine, steering gear, propeller), require tug boat	boat for hospital transfer, radio medical advice, helicopter with doctor	SMCP & VTS operator
doctor in vessel	boolean value(doctor in vessel or not)	detail of medical assistance info.	SMCP & VTS operator
rendezvous in position	position, time		

VTS-INS PS data list(final ver.)


VTS-INS PS Scenario

■ VTS-INS PS Scenario & Data

- The scenario consists of four detailed scenarios.
 - Pre-arrival report, Entering & movement report, Accident report, Provide VTS area information

Scenario	Description	Action	Exchanged data	
Pre-arrival report	- Before arrived VTS area, Vessel report information and request entering VTS Area • Identify, measurements, crew list, etc. - When accept entering VTS area, VTS provides information of VTS area • Environmental & Navigational Information	(Vessel) Request pre-arrival	Vessel identity, vessel measurements, crew list, sailing plan, ISPS, cargo info., bunker, ETA, communication info., mechanical defects	
		(VTS) Response assignment result	Assignment result, deny comment	
		(VTS) Provide VTS area info.	Environmental info., navigational info., traffic info., reporting area communication channel	
Entering & movement report	- Vessels entering and moving within VTS area report to VTS - Movement report is consist of three reports* • before movement(10m) movement, arrival - When Anchorage, Berth and Departure situation, vessel use this Movement report	Entering report	(Vessel) Entering report: Vessel identity, speed, direction, position (VTS) Provide info.: Traffic info., Navigational info.	
		Movement report	(Vessel) Report passing point	Vessel identity, position
			(Vessel) Before movement	Vessel identity, statement(sailing, anchorage berth), arrival type(sailing, anchorage, berth), destination, ETA
			(Vessel) Arrival	Vessel identity, position, ATA
		Accident report	- In emergency situation, vessel report the accident and request assistance - Accident report is information for the initial assistance, detail accident informations are made in voice communication - Accident report is consist of three report* • Search & rescue, Medical assistance, Not under command	SAR
medical	(Vessel) request medical assistance: Vessel identity, medical assistance type(radio medical advice, boat for hospital transfer...), doctor in vessel			
NUC	(Vessel) report NUC: Vessel identity, NUC equipment(engine, steering gear, propeller) request tug			
(VTS) Reponse	Communication channel (Channels for communication with vessel)			
Provide VTS area information	- VTS provides VTS Area information in vessel's request / emergency situation - When vessels' request, VTS provide Environmental & Navigational Information - In emergency situation, VTS broadcasting Traffic Accident, Environmental & Navigational Warning	request & provide	(Vessel) Request info.: Vessel identity, request message (VTS) Provide info.: Environmental info., navigational info.,	
		(VTS) Broadcasting info.	Environmental warning, navigational warning, traffic accident information, SAR information, NUC information	

VTS-INS PS scenario





Pre-arrival Scenario

VTS-INS PS Scenario

■ VTS-INS PS Scenario & Data

- The Pre-arrival scenario consists of four detailed scenarios.
 - Pre-arrival report, Entering & movement report, Accident report, Provide VTS area information
- Represent scenarios in the form of process diagrams with mapping to exchanged data at each step.




VTS-INS PS Detail Scenario

Pre-Arrival Report & Request Entering VTS Area

- Before arrival to VTS area, Vessel report information and request permission to enter VTS Area
- When granted entrance to VTS area, VTS center provides information about VTS area to Vessel
 - VTS center provide Environmental & Navigational Information

Action	Feature	Data
(Vessel) Pre-Arrival Report	VTS Information Service Message	MRN, MMSI Code, Message Identifier, Message Marker, VTS Operator assignment, Reported At, Reported By, Request Information, Location State, Administrator State
	Contact Detail	Communication Channel(VHF), Telecommunications
	Ship Information	Vessel Name, IMO-No, Call Sign, MMSI code, Flat State, Vessel Measurements, Category of Vessel, ISPS Level, Cargo Information, Number of Passenger, Ship Crew
	Ship Dynamic	Bunker Information, Ship Speed, Category of Statement, Movement Purpose, Heading, Message Identifier for Route, Route Name, Route Version
	Navigational Equipment Conditions	Compass System, Electronic Position Fixing, Engine Telegraph, Mooring Winches and Lines, Number of Power Unit Units in use, Rate of Turn Indicator, RPM Pitch Indicator, Rudder Indicator, Speed Log, Steering Gear, VHF Equipment, Whistles
(VTS) Assignment of VTS Center	VTS Information Service Message	MRN, MMSI Code, Message Identifier, Message Marker, VTS Operator assignment, Reported At, Reported By, Request Information, Location State, Administrator State
(VTS) Provide VTS Area Information	VTS Information Service Message	MRN, MMSI Code, Message Identifier, Message Marker, VTS Operator assignment, Reported At, Reported By, Request Information, Location State, Administrator State
	Environmental Conditions	Valid Date Time, Message identifier for Environmental Conditions(Link to S-412), S-412
	Navigational Conditions	Valid Date Time, Message identifier for Navigational Conditions(Link to S-124), S-124




VTS-INS PS Detail Scenario

▪ Vessel Entering & Movement Report

- Vessels entering and moving within VTS area report to VTS
- Movement report is consist of three report
 - Prior to movement (10min), commencing movement and arrival
- During Anchorage, Berthing and Departure, vessel use Movement report
 - Purpose of vessel's movement can be identified by [Category of Statement] and [Movement Purpose]

Action	Feature	Data
(Vessel) Entering & Movement Report	VTS Information Service Message	MRN, MMSI Code, Message Identifier, Message Marker, Reported At, Reported By, Location State, Administrator State
	Ship Information	Vessel Name, IMO-No, Call Sign, MMSI code, Flat State, Vessel Measurements, Category of Vessel, ISPS Level, Cargo Information, Number of Passenger, Ship Crew
	Ship Dynamic	Ship Speed, Category of Statement , Movement Purpose , Heading, Message Identifier for Route, Route Name, Route Version
	Category of Statement, Movement Purpose	Value : Sailing, Anchorage, Berth, Departure - Expresses the movement status and purpose of the vessel - Ex) Move to Anchorage : Statement(Sailing), Purpose(Anchorage)
(VTS) Provide VTS Area Information	VTS Information Service Message	MRN, MMSI Code, Message Identifier, Message Marker, Reported At, Reported By, Location State, Administrator State
	Environmental Conditions	Valid Date Time, Message identifier for Environmental Conditions(Link to S-412), S-412
	Navigational Conditions	Valid Date Time, Message identifier for Navigational Conditions(Link to S-124), S-124




VTS-INS PS Detail Scenario

▪ Accident Report

- In emergency situation, vessel report the accident and request assistance
- Accident report is information for the initial request of assistance, detailed accident information is made by voice communication (outside of PS scope)
- Accident report is consist of three report
 - Search & rescue, Medical assistance, Not under command

Action	Feature	Data
(Vessel) Accident Report	VTS Information Service Message	MRN, MMSI Code, Message Identifier, Message Marker, VTS Operator assignment, Reported At, Reported By, Request Information, Location State, Administrator State
	Contact Detail	Communication Channel(VHF), Telecommunications
	Ship Information	Vessel Name, IMO-No, Call Sign, MMSI code, Flat State, Vessel Measurements, Category of Vessel, ISPS Level, Cargo Information, Number of Passenger, Ship Crew
	Ship Dynamic	Bunker Information, Ship Speed, Category of Statement, Movement Purpose, Heading, Message Identifier for Route, Route Name, Route Version
	A c c i d e n t	SAR
Medical Assistance		Kind of Medical Assistance*, Doctor in Vessel, Time for a meeting * Request boat for hospital transfer, Radio medical advice, Helicopter with doctor
NUC		Not Under Command Situation*, Tug Request * Engine, Steering gear, Propeller
(VTS) Assistance Information	VTS Information Service Message	MRN, MMSI Code, Message Identifier, Message Marker, VTS Operator assignment, Reported At, Reported By, Request Information, Location State, Administrator State
	Contact Detail	Communication Channel(VHF), Telecommunications




VTS-INS PS Detail Scenario

▪ Request VTS Area Information

- VTS provides VTS Area information in vessel's request / emergency situation
- When vessels' request, VTS provide Environmental & Navigational Information
- Environmental & Navigational Conditions reference other PS
 - Environmental Conditions : S-412
 - Navigational Conditions : S-124

Action	Feature	Data
(Vessel) Request VTS area Information	VTS Information Service Message	MRN, MMSI Code, Message Identifier, Message Marker, VTS Operator assignment, Reported At, Reported By, Request Information , Location State, Administrator State
(VTS) Provide VTS Area Information	VTS Information Service Message	MRN, MMSI Code, Message Identifier, Message Marker, VTS Operator assignment, Reported At, Reported By, Request Information, Location State, Administrator State
	Environmental Conditions	Valid Date Time, Message identifier for Environmental Conditions(Link to S-412), S-412
	Navigational Conditions	Valid Date Time, Message identifier for Navigational Conditions(Link to S-124), S-124




VTS-INS PS Detail Scenario

▪ Broadcasting Alarm of VTS Center

- In emergency situation, VTS broadcast Alarms
 - Environmental Hazards, Navigational Warnings and Traffic Accident
- Traffic Accident is a broadcast about Accident Report (Vessel)


Action	Feature	Data
(VTS) Provide VTS Area Information	VTS Information Service Message	MRN, MMSI Code, Message Identifier, Message Marker, VTS Operator assignment, Reported At, Reported By, Request Information, Location State, Administrator State
	Environmental Hazards	Valid Date Time, Message identifier for Environmental Hazards,(Link to S-412), S-412
	Navigational Warnings	Valid Date Time, Message identifier for Navigational Warnings(Link to S-124), S-124
	Traffic Accident	Accident Alarm Type(SAR, medical, NUC), Location, Accident Ship information, Accident Ship Cargo Information, Accident Detail



VTS-INS PS Data Model

Development of VTS-INS PS Data Model

- Data model development based on Scenario (final ver.)
 - Message Header** : Information such as sender & receiver, message purpose, current location
 - Information of Vessel report** : Information required when the vessel reports to VTS Center
 - Information provide by VTS center** : Environmental & Navigation Information, Accident Information





Category	Class	Description
Message Header	VTS Information Service Message	- Classes for distinguishing information that is sent. Manage requests, responses to requests, and results of service requests, or distinguish which information is transmitted from broadcasting information
Information about vessel report	Ship Information	- Static information/information that does not change when a ship is operated in one voyage
	Ship Dynamic	- Dynamic information/information that may change or change when a ship is operated in one voyage
	Accident	- Class to communicate own vessel accident information. The purpose of this class is to provide emergency information about ship accidents prior to VTS communication
	Navigational Equipment Condition	- Mechanical defects/An item to manage the condition of items to determine whether mechanical defects that can affect the normal operation of a ship are present
Information provided by VTS center	Warning	- Information about Environmental hazards, Navigational warnings and Accident information
	Conditions	- Information about Environmental & Navigational Condition - Use S-124, S-412 to get information

▪ VTS Information Service Message(Message Header)

- Classes for distinguishing information that is sent (inspired by S-211)
- Manage requests, responses to requests, and results of service requests, or distinguish which information is transmitted from broadcasting information
- This class is always exchanged in every situation, every action
- Ship Report class and Information class are exchanged with this model.

Feature	Description
Administration State	- Describes a time related data point for a service administration event, such as a request made, received, confirmed or denied
Location State	- Describes a time related data point for an arrival to or departure from a specified location
VTS Operator Assignment	- Results of items requested by vessel to VTS Center - Ex) request entering VTS Area, request environmental info.
Message Identifier	- A unique identifier distinguishing one message from another
Message Markers	- The purpose of a message used to facilitate communication between ships.
Reported At / Reported By	- Timestamp of report - Time and entity value of timestamp
Request Information	- The category of information used to request information within the VTS Area.
Ship MRN / MMSI Code	- Message sender's identification value



VTS-INS PS Data Model

Information of Vessel Report

- The Information of Vessel Report Model deals with the items required for vessel's report
- These classes are based on information described in VTS46-13.3.9, VTS Operator's review, SMCP, and etc.
- Voyage Information is implemented in the form of Ship Dynamic including S-421 (RTZ)



VTS46-13.3.9 - Annex A - VTS Digital Services			
Type	CATEGORY	FEATURE	ATTRIBUTE
vessel information		identification	Vessel identity (ship's name, MMSI, call sign, IMO, owner, ...)
		static information	e.g. vessel measurements (length, width, dead weight, (maximum) number of passengers ...), type of vessel (container, bulk, ...)
		dynamic information	e.g. speed, direction, number of passengers, number of crew, flag, agent, captain, draught, ...
		certification information	
Voyage information		identification	Voyage ID, type, ...
		sailing plan	e.g. departure, arrival, route, waypoints, timing ...
		status	e.g. planned, confirmed, estimated, active, ...
		position	e.g. current, last waypoint, next waypoint, ...
		specific voyage information	e.g. trip remarks, towage information, pilot information, convoy information, vessel activity (fishing, dredging, ...), piracy, ...
Cargo information		warnings	e.g. ISPS, ...
		hazard information	e.g. IMDG code, propername, ...
		detailed cargo information	e.g. position on board, detailed product information, ...

Feature	Description	Ref.
Ship Information	- Static information/information that does not change when a ship is operated in one voyage	V-127, VTS46
Ship Dynamic	- Dynamic information/information that may change or change when a ship is operated in one voyage	V-127, VTS46
Accident	- Class to communicate own vessel accident information. The purpose of this class is to provide emergency information about ship accidents prior to VTS communication	VTS Operator, SMCP
Navigational Equipment Condition	- Mechanical defects/An item to manage the condition of items to determine whether mechanical defects that can affect the normal operation of a ship are present	VTS Operator

<p>«FeatureType» ShipInformation</p> <p>«SimpleAttribute» + callSign: text [0..1] + categoryOfVessel: categoryOfVessel [0..1] + flagState: ISO3166-2 [0..1] + IMO: text [0..1] + ISPSLevel: ISPSLevel [0..1] + MMSI: text [0..1] + numberOfPassenger: integer [0..1] «ComplexAttribute» + cargoInformation: cargoInformation [0..*] + shipCrew: shipCrew [0..1] + vesselName: vesselName + vesselsMeasurements: vesselsMeasurements [0..*]</p>	<p>«FeatureType» NavigationalEquipmentCondition</p> <p>«SimpleAttribute» + compassSystem: equipmentCondition + electronicPositionFixing: equipmentCondition + engineTelegraph: equipmentCondition + mooringWinchesAndLines: equipmentCondition + numberOfPowerUnitsInUse: text [0..1] + rateOfTurnIndicator: integer [0..1] + RMPitchIndicator: equipmentCondition + rudderIndicator: equipmentCondition + speedLog: equipmentCondition + steeringGear: equipmentCondition + VHFEquipment: equipmentCondition + whistles: equipmentCondition «ComplexAttribute» + radarEquipment: radarEquipment [0..*]</p>
<p>«FeatureType» ShipDynamic</p> <p>«ComplexAttribute» + bunkerInformation: bunkerInformation [0..*] + shipSpeed: shipSpeed [0..1] «SimpleAttribute» + categoryOfStatement: categoryOfStatement [0..1] + heading: real [0..1] + messageIdentifierForRoute: text + movementPurpose: movementPurpose [0..1] + routeName: text [0..1] + routeVersion: integer [0..1] «SpatialAttribute» + geometry: GM_Point [0..1]</p>	<p>«FeatureType» Accident</p> <p>«SimpleAttribute» + assistanceDetail: text [0..*] «SpatialAttribute» + geometry: GM_Point [0..1] «ComplexAttribute» + medicalAssistanceDetail: medicalAssistanceDetail [0..1] + notUnderCommandDetail: notUnderCommandDetail [0..1] + SARDetail: SARDetail [0..1]</p>

Information provided by VTS center

- Information provided by the VTS center consists of two categories
 - Warning Information : Emergency information such as Environmental Hazard, Navigational Warning and Accident Information
 - Condition Information : Information such as Weather, navigational structures and etc.
- Environmental, Navigational Information is transmitted including other product standards
 - Environmental Information(S-412), Navigational Information(S-124)
- Broadcasting Accident includes information of Accident Report received from ship



▪ Result

- Development team drafted VTS-INS Product Specification
- VTS-INS PS is based on VTS regulations and committee outputs, but would benefit from more input from VTS experts.
- Physical datalink for exchanging the datasets is unknown.

▪ Future work

- Request a review of VTS experts on scenarios and data listings for VTS-INS PS.
 - Review and edit scenario, data model
 - Detailed data type(text, integer, etc.) requirements
- Define physical link used to exchange the datasets
- VTS-INS PS revision based on review comments (=user need)
- We request to VTS Committee develop this product specification into an IALA Product Specification and that an S-21x number is assigned to the document.

THANK YOU



SMART

WIDER CONNECTION SAFER NAVIGATION